

Mobil Delvac™

Seasons change.
Protection doesn't.

Energy lives here™



Year-round dependability.

We know that your equipment is crucial to your livelihood and that downtime for repairs is unacceptable. Weather moves fast, and sometimes you only have a short window to get your harvest off the ground.

Mobil Delvac™ lubricants provide excellent wear protection, extend equipment life, and boost performance so you can work around the clock when it matters most.



Mobil Delvac 1™ ESP

Performance that exceeds expectations

Mobil Delvac 1 ESP is an advanced synthetic heavy-duty diesel engine oil that:

- Helps extend engine life
- Provides long drain capability
- Is suitable for a wide range of heavy-duty applications

Mobil Delvac™ Extreme

Peace of mind, no matter the conditions

Mobil Delvac Extreme is an advanced synthetic-blend heavy-duty diesel engine oil that provides:

- Exceptional high-temperature protection and oxidation stability
- Performance for up to double OEM-recommended oil drain intervals (ODIs)¹
- Extended oil drains and equipment life



¹ Results may vary based on vehicle/engine condition and driving and environmental conditions. Consult OEM before implementing extended ODIs, especially if the equipment/vehicle is under the OEM's warranty.

Mobil Delvac™ 1300 Super

Run business with confidence

Mobil Delvac 1300 Super is a high-performance conventional diesel engine oil that provides:

- Exceptional wear protection and outstanding performance in severe temperatures
- Proven protection for up to 50% beyond OEM-recommended ODIs¹
- Helps reduce engine deposits and sludge buildup

Mobil Delvac™ Synthetic Gear Oil

Advanced gear oil for demanding conditions

Mobil Delvac Synthetic Gear Oil is a synthetic drivetrain lubricant that:

- Extends gear, seal, and bearing life
- Increases load-carrying capability
- Can reduce maintenance costs and helps achieve long equipment life

Mobilube™ HD Plus

Gear oil for severe off-highway applications

Mobilube HD Plus MG is a drivetrain lubricant that:

- Protects drivetrains under extreme pressures and shock loading
- Protects against low-speed/high-speed wear and high-speed scoring
- Is available in three grades: 75W, 80W-90, and 85W-140



Mobil Delvac™ Xtreme Grease

Premium lithium complex grease

Mobil Delvac Xtreme Grease is an extra-high-performance, extreme-pressure NLGI 2-grade grease that provides:

- Exceptional all-around performance
- Excellent performance in pins and bushings on implements and combines
- Protection in the presence of water

Mobil Unirex™ EP 1/EP 2

Extremely versatile lubricants

Long-life premium-performance lubricants that provide:

- High-performance lithium thickeners
- Protection against rust and corrosion
- Excellent performance across a wide range of temperatures and applications

Mobilgrease XHP™ 222

Wide range of applications

Extended-service lithium-complex grease that provides:

- Excellent high-temperature performance
- Strong resistance to water contamination
- Superb adhesion and stability



¹ Results may vary based on vehicle/engine condition and driving and environmental conditions. Consult OEM before implementing extended ODIs, especially if the equipment/vehicle is under the OEM's warranty.

Mobil Delvac™ Extended Life Coolant/Antifreeze—C

Providing corrosion protection for all cooling metals

Mobil Delvac Extended Life Coolant/Antifreeze—C is a hybrid technology coolant that is OEM approved and is specially formulated to protect all coolant system metals.

- One coolant for all cooling systems on the farm
- Cooling system protection for 12,000 hours or 6 years—whichever comes first¹
- Eliminates the need for the Supplemental Coolant Additives (SCAs)

Mobil Hydraul™

Optimized lubrication for any temperature

High-performance multipurpose lubricants that deliver optimized performance over a wide range of operating conditions.

- **Mobil Hydraul™ Extra**
A synthetic blend with operating temperature range of -35° C to 100° C
- **Mobil Hydraul™ 50**
Developed for low-temperature fluidity in temperatures as low as -35° C
- **Mobil Hydraul™ 56**
Provides all-season performance down to -25° C



¹ When properly maintained in accordance with the engine manufacturer's maintenance recommendations.



